



KERALA GAZETTE

കേരള ഗസറ്റ്

PUBLISHED BY AUTHORITY

ആധികാരികമായി പ്രസിദ്ധപ്പെടുത്തുന്നത്

Vol. I വാല്യം 1	THIRUVANANTHAPURAM, TUESDAY തിരുവനന്തപുരം, ചൊവ്വ	27th November 2012 2012 നവംബർ 27 6th Agrahayana 1934 1934 അഗ്രഹായനം 6	No. നമ്പർ	25
--------------------	---	--	--------------	----

PART III

Stores Purchase

Fire Force Department

SHORT TENDER NOTICES

(1)

No. F1-11580/2012.

31st October 2012.

Sealed tenders are invited for the purchase of 50 Nos. of BA Set with Spare Cylinder to Fire and Rescue Services Department. Details of items can be had along with the tender forms. The tenders are to reach the undersigned before 5 p. m. on 6-12-2012.

Estimate Amount—` 50 Lakh.

E.M.D.—1%.

The tenders should be superscribed as Tender No. 18/2012, and addressed to the Commandant General, Home Guards Civil Defence and Fire & Rescue Services Headquarters, Housing Board Junction, Thiruvananthapuram-I. Late tenders will not be accepted. The tenders will be opened at 11 a. m. on 7-12-2012 in the presence of such tenderers or their authorized representatives who may be present at the time.

Intending tenderers may on application to the Commandant General obtain requisite tender form on which tenders should be submitted. Application for tender forms should be accompanied by the Cash Remittance/Money Order of ` 7,500+4% VAT (Round to next Rupee) per copy which is the price fixed by Government and is not refundable under any circumstance. The tender forms are not transferable. The sale of tender forms will be closed at 3 p. m. on 5-12-2012. Neither Cheques, Bank

Drafts, Postal Order, Postage Stamps etc. will be accepted towards the cost of tender forms nor will the tender form be send per value payable post. Duplicate tender forms if required will be supplied @ ` 3,750+4% VAT per copy. The tenderers are to read the general conditions given in the tender forms carefully before the forms are filled up.

Kerala Stamp Paper will be supplied to firms out side state if required by a separate cash remittance of ` 120 Money Order.

കേരള ഫയർ ആന്റ് റെസ്ക്യൂ സർവീസസ് വകുപ്പിലേയ്ക്ക് 50 എണ്ണം ബി. എ. സെറ്റ് വിത്ത് സ്പെയർ സിലിണ്ടർ വിതരണം ചെയ്യുന്നതിലേക്കായി താൽപ്പര്യമുള്ളവരിൽ നിന്നും മുദ്രവച്ച ദർഘാസുകൾ 18/2012-ാം നമ്പരായി ക്ഷണിച്ചു കൊള്ളുന്നു. മേൽപ്പടി ദർഘാസിന്റെ വിശദവിവരങ്ങൾ ദർഘാസി നോടൊപ്പം ലഭിക്കുന്നതാണ്.

അടങ്കൽ തുക— ` 50 ലക്ഷം.

നിരതദ്രവ്യം—1 %.

അസ്സൽ ദർഘാസ് ഫോറത്തിന്റെ വില ` 7,500 + 4% മുല്യാധിഷ്ഠിത നികുതിയും ഈ ഓഫീസിൽ ഒടുക്കേണ്ടതാണ്. ഡ്യൂപ്ലിക്കേറ്റ് ദർഘാസ് ഫോറത്തിന്റെ വില ` 3,750 + 4 % മുല്യാധിഷ്ഠിത നികുതിയും ഒടുക്കേണ്ടതാണ്. ടെൻഡർ ഫോറത്തിന്റെ വില യാതൊരു കാരണവശാലും മടക്കിക്കൊടുക്കുന്നതല്ല. ടെൻഡർ ഫോറത്തിന്റെ വിൽപ്പന 5-12-2012, 3 മണിക്ക് അവസാനിക്കുന്നതാണ്. നിശ്ചിത ഫോറത്തിലുള്ള ദർഘാസുകൾ 6-12-2012, 5 മണിക്ക് മുൻപായി ഈ ഓഫീസിൽ ലഭിക്കേണ്ടതാണ്. പ്രസ്തുത തീയതിക്കുശേഷം ലഭിക്കുന്ന ദർഘാസുകൾ യാതൊരു കാരണവശാലും പരിഗണിക്കുന്നതല്ല. 7-12-2012, 11 മണിക്ക് ദർഘാസുകാരുടെയോ അവരുടെ അംഗീകൃത പ്രതിനിധികളുടെയോ സാന്നിധ്യത്തിൽവെച്ച് ദർഘാസുകൾ തുറക്കുന്നതായിരിക്കും. ദർഘാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യാൻ പാടില്ല.

ഈ ദർഘാസിനെ സംബന്ധിച്ച വിശദവിവരങ്ങൾ, വ്യവസ്ഥകൾ, ദർഘാസ് ഫോറങ്ങൾ മുതലായവ കമാന്റിന്റേ ജനറൽ, ഹോം ഗാർഡ്സ് സിവിൽ ഡിഫൻസ്, ഫയർ ആന്റ് റെസ്ക്യൂ സർവീസസ്, കേരള ഹൗസിംഗ് ബോർഡ് ജംഗ്ഷൻ, പുളിമുക്ക് പി. ഒ., തിരുവനന്തപുരം-695 001 എന്ന ഓഫീസറുടെ ഓഫീസിൽ നിന്നും എല്ലാ പ്രവൃത്തി ദിവസങ്ങളിലും വൈകുന്നേരം 5 മണി വരെ ലഭിക്കുന്നതാണ്. ദർഘാസ് ഫോറത്തിന്റെ വില യാതൊരു കാരണവശാലും പോസ്റ്റൽ ഓർഡർ, പോസ്റ്റ് സ്റ്റാമ്പ്, ചെക്ക്, ബാങ്ക് ഡ്രാഫ്റ്റ് എന്നിവയായി സ്വീകരിക്കുന്നതല്ല.

TECHNICAL SPECIFICATION

Specification of self contained open circuit compressed Air Breathing Apparatus with light weight cylinder and spare light weight cylinder

1. **General Requirement:** The set shall be self-contained open circuit type compressed Air Breathing Apparatus set fully confirming to EN 137:2006 (type 2) standard. An operation and maintenance manual should be supplied with each set in English language.

2. **Back Plate (Body Harness):** Anti-static back plate made from glass-filled polyamide material for resilience and impact resistance, with carbon fiber for strength, Fitted with a rubber shocker at the base. Should be orthopaedically designed and be chemical, heat & flame resistant, light weight, water resistant, anti-static and should have incorporated. Molded carrying handles. All securing buckles shall be of the Quick-release type, designed for accessibility and easy handling with gloved hands without compromising security, Cam-lock universal cylinder sizes from 4 litre 200 bar to 9 litre 300 bar. Cylinder strap shall be made from a material which allow flame retardancy, and heat resistance. Shoulder harness should be flame retardant, water resistant property. The back plate should have Lung Demand Valve holder.
3. **Facemask:** Full mask should be made of EPDM material with double reflex seal, speech diaphragm, inner mask, five finger head band meeting. E.N136:1998 Class 3. Visor shall provide wide-angle, panoramic vision and be made of replaceable shock and heat-resistant polycarbonate material. Visor shall be self-demisting type. Should be fitted complete with a stainless steel speech diaphragm should have inhalation and exhalation valve, replaceable type.
4. **Air Cylinder:** The air cylinder shall be aluminum lined, fully wrapped carbon composite material and basically approved to EN 12245 & CE marked with a maximum water capacity of 6.8 liters and free air capacity of min. 1800 litres when filled at a pressure of 300 bar. Service life of cylinder should be minimum of 20 years .The cylinder shall be approved by CCOE and certificate to that effect shall be submitted along with the tender. The design of the valve shall be such that the spindle cannot be completely unscrewed during the normal operation. The cylinder should be fitted with inline ratchet type valve so that valve do not get closed inadvertently during use & comply with EN 144-1 and EN 144-2.
5. The manufacturer/Supplier should supply one spare cylinder with the same specification along with each set.
6. **Pneumatics-Pressure Reducer & Lung Demand Valve & Hoses:**
The reducer shall be of the “balanced” type, with provision of safety pressure relief valve and capable of supplying peak air flow at the rate 1400 lit/min. The Normal for pressure between 300 bar to 20 bar would be 1000lit /min. The LDV should be quick plug connectable from the front side of the mask. The LDV should

be first breath activated at 4-10mbar with a centrally located switch off button & tough wrap around silicone cover. The LDV shall have the maximum flow capability of 500 liters per minute and even at 20 Bar Pressure should be capable of giving flow of 300 LPM. Houses shall be flexible and non-kinking type and shall permit the free movement of the head and shall not restrict or close the supply at any time and shall not collapse.

7. **Pressure gauge:** Pressure Gauge should be connected to the pressure reducer by a high pressure hose (Non Metallic outer surface). It should have a luminescent dial encased in a rubber cover. Should be intergrated with the warning whistle in a steramlined hose without any manifold block. Warning whistle should be a self actuating of 90 Db intensity and should be positioned on the shoulder in front of the user & close the ear of the user. Warning whistle should be high-pressure activated & medium/high pressure driven and must operate at a residual cylinder pressure of 55 + / 5 bar.

8. **Documentation:**
CCOE Certificate for cylinders should be supplied along with the supply.
Manufacture authorization letter to participate the tender should be kept along with the tender.

9. **Weightage to be given to following special Features:**

Full face mask assemble shall be with double reflex seal
Service life of Carbon Composite Fiber Cylinder more than 15 years.
The reducer shall be capable of supplying air at the rate 1000 lit/min.
Lung Demand Valve must be capable of giving maximum of 500 lit/Min. flow.
Lung Demand Valve should maintain a positive pressure even at 20 Bar and 300 lit/min. flow.

CONDITIONS

- Whether samples are essential — Plankets, Photograph etc. should be forwarded along with tender.
- Period within which goods should be delivered — Within two months from the receipt of Supply Order.
- Rates should be quoted for the delivery including transporting charge of chassis to Kerala Fire & Rescue Services Headquarters) — For Thiruvananthapuram

- Payment — 90% payment against delivery at Thiruvananthapuram in good condition.
- Other special condition — A guarantee of 2 years from the delivery of item.

(2)

No. F1-11635/2012.

1st November 2012.

Sealed tenders are invited for the Purchase of 16 Nos. of Rubber Dingy with OB Engine to Fire & Rescue Services Department. Details of items can be had along with the tender forms. The tenders are to reach the undersigned before 5 p. m. on 6-12-2012.

Estimate Amount ` 48 Lakh.

EMD - 1%.

The tenders should be superscribed as Tender No. 22/2012, and addressed to the Commandant General, Home Guards Civil Defence and Fire & Rescue Services Headquarters, Housing Board Junction, Thiruvananthapuram-I. Late tenders will not be accepted. The tenders will be opened at 11 a. m. on 7-12-2012 in the presence of such tenderers or their authorized representatives who may be present at the time.

Intending tenderers may on application to the Commandant General obtain requisite tender form on which tenders should be submitted. Application for tender forms should be accompanied by the Cash Remittance/ Money Order of ` 7,200+4% VAT (Round to next Rupee) per copy which is the price fixed by Government and is not refundable under any circumstance. The tender forms are not transferable. The sale of tender forms will be closed at 3 p.m. on 5-12-2012. Neither Cheques, Bank Drafts, Postal Order, Postage Stamps etc. will be accepted towards the cost of tender forms nor will the tender form be send per value payable post. Duplicate tender forms if required will be supplied @ ` 3,600+4% VAT per copy. The tenderers are to read the general conditions given in the tender forms carefully before the forms are filled up.

Kerala Stamp Paper will be supplied to firms outside state if required by a separate cash remittance of ` 120 by Money Order.

കേരള ഫയർ ആന്റ് റെസ്ക്യൂ സർവീസസ് വകുപ്പിലേക്ക് റബ്ബർ ഡിങ്കി വിത്ത് ഒ. ബി എൻജിൻ 16 എണ്ണം വിതരണം ചെയ്യുന്നതിലേയ്ക്കായി താൽപ്പര്യമുള്ളവരിൽ നിന്നും മുദ്രവച്ച ദർഘാസുകൾ 22/12-ാം നമ്പരായി ക്ഷണിച്ചു കൊള്ളുന്നു. മേൽപ്പടി ദർഘാസിന്റെ വിശദവിവരങ്ങൾ ദർഘാസി നോടൊപ്പം ലഭിക്കുന്നതാണ്.

അടങ്കൽ തുക—` 48 ലക്ഷം.

നിരതദ്രവ്യം—1%.

അസ്സൽ ദർഘാസ് ഫോറത്തിന്റെ വില ` 7,200 + 4% മുല്യാധിഷ്ഠിത നികുതിയും ഈ ഓഫീസിൽ ഒടുക്കേണ്ടതാണ്. ഡ്യൂപ്ലിക്കേറ്റ് ദർഘാസ് ഫോറത്തിന്റെ വില ` 3,600 + 4% മുല്യാധിഷ്ഠിത നികുതിയും ഒടുക്കേണ്ടതാണ്. ടെൻഡർ ഫോറത്തിന്റെ വില യാതൊരു കാരണവശാലും മടക്കി കൊടുക്കുന്നതല്ല. ടെൻഡർ ഫോറത്തിന്റെ വിൽപ്പന 5-12-2012, 3 മണിക്ക് അവസാനിക്കുന്നതാണ്. നിശ്ചിത ഫോറത്തിലുള്ള ദർഘാസുകൾ 6-12-2012, 5 മണിക്ക് മുൻപായി ഈ ഓഫീസിൽ ലഭിക്കേണ്ടതാണ്. പ്രസ്തുത തീയതിക്കുശേഷം ലഭിക്കുന്ന ദർഘാസുകൾ യാതൊരു കാരണവശാലും പരിഗണിക്കുന്നതല്ല. 7-12-2012, 11 മണിക്ക് ദർഘാസുകാരുടെയോ അവരുടെ അംഗീകൃത പ്രതിനിധികളുടെയോ സാന്നിധ്യത്തിൽവെച്ച് ദർഘാസുകൾ തുറക്കുന്നതായിരിക്കും. ദർഘാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യാൻ പാടില്ല.

ഈ ദർഘാസിനെ സംബന്ധിച്ച വിശദവിവരങ്ങൾ, വ്യവസ്ഥകൾ, ദർഘാസ് ഫോറങ്ങൾ മുതലായവ കമാണ്ടന്റ് ജനറൽ, ഫോം ഗാർഡ്സ് സിവിൽ ഡിഫൻസ് ഫയർ ആന്റ് റെസ്ക്യൂ സർവ്വീസസ്, കേരള ഹൗസിംഗ് ബോർഡ് ജംഗ്ഷൻ, പുളിമുട് പി. ഒ., തിരുവനന്തപുരം-695 001 എന്ന ഓഫീസറുടെ ഓഫീസിൽ നിന്നും എല്ലാ പ്രവൃത്തി ദിവസങ്ങളിലും വൈകുന്നേരം 5 മണി വരെ ലഭിക്കുന്നതാണ്. ദർഘാസ് ഫോറത്തിന്റെ വില യാതൊരു കാരണവശാലും പോസ്റ്റൽ ഓർഡർ, പോസ്റ്റ് സ്റ്റാമ്പ്, ചെക്ക്, ബാങ്ക് ഡ്രാഫ്റ്റ് എന്നിവയായി സ്വീകരിക്കുന്നതല്ല.

SPECIFICATION OF INFLATABLE DINGY WITH O. B. ENGINE

1. Capacity : Inflatable Boat 5+1 Men Capacity
2. Nominal Dimensions:—
 - (a) Length (cm) : 360
 - (b) Breadth (cm) : 170
 - (c) Buoyancy Tube Diameter (cm) : 45
3. Load Capacity : 06 Persons Capacity
4. Transom : Capable to take load of 20HP OBM water assistance synthetic transom
5. Weight : Less than 100 kg.
6. Floor Board : Interlocking Anodise Aluminium Floor Board
7. Standard Accessories:—
 - (a) Four pieces of aluminum oars
 - (b) Foot Pump
 - (c) Plywood bench seat
 - (d) Repairing kit
 - (e) Carrying bag
8. O.B. Engine 20 H.P. of reputed company.
9. Approvals IRS approved drawing.

CONDITIONS

1. Whether samples are essential — Palmplets, Photograph etc. should be forwarded along with tender.
2. Period with in which goods should be delivered — Within 2 weeks from the receipt of supply order.
3. Rates should be quoted for the delivery including transporting charge of the items to Kerala Fire & Rescue Services Headquarters — FOR. Trivandrum.
4. Payment — 90% payment against delivery at Thiruvananthapuram in good condition.
5. Other special condition — A guarantee of 12 months from the delivery of item.

(3)

No. F1-11637/2012.

1st November 2012.

Sealed tenders are invited for the purchase of 40 Nos. of Under Water Trench to Fire and Rescue Services Department. Details of items can be had along with the tender forms. The tenders are to reach the undersigned before 5 p. m. on 6-12-2012.

Estimate cost—` 2,80,000.

EMD—1%.

The tenders should be superscribed as Tender No. 24/2012 and addressed to the Commandant General, Home Guards Civil Defence and Fire and Rescue Services Headquarters, Housing Board Junction, Thiruvananthapuram-1. Late tenders will not be accepted. The tenders will be opened at 11 a. m. on 7-12-2012 in the presence of such tenderers or their authorized representatives who may be present at that time.

Intending tenderers may on application to the Commandant General obtain requisite tender form on which tenders should be submitted. Application for tender forms should be accompanied by the cash/remittance/money order of ` 500 + 4% VAT (Round to next Rupee) per copy which is the price fixed by Government and is not refundable under any circumstance. The tender forms are not transferable. The sale of tender forms will be closed at 3 p. m. on 5-12-2012. Neither Cheques, Bank Drafts, Postal Order, Postage Stamps etc. will be accepted towards the cost of tender forms, nor will the tender form be send per value payable post. Duplicate tender forms if required will be supplied @ ` 1,500 + 4% VAT per copy. The tenderers are to be read the general conditions given in the tender forms carefully before the forms are filled up. Date up to which rates are to be firm on 31-3-2013.

Kerala Stamp Paper will be supplied to firms out side State if required by a separate cash remittance of ` 120 Money Order.

കേരള ഫയർ ആന്റ് റെസ്ക്യൂ സർവീസസ് വകുപ്പിലേക്ക് 40 എണ്ണം അണ്ടർ വാട്ടർ ടോർച്ച് വിതരണം ചെയ്യുന്നതിലേക്കായി താൽപര്യമുള്ളവരിൽ നിന്നും മുദ്ര വച്ച ദർഘാസുകൾ 24/2012 നമ്പരായി ക്ഷണിച്ചുകൊള്ളുന്നു.

അടങ്കൽ തുക—` 2,80,000.

നിരതദ്രവ്യം—1 %.

അസ്സൽ ദർഘാസ് ഫോറത്തിന്റെ വില ` 500 + 4% മുല്യാധിഷ്ഠിത നികുതിയും ഈ ഓഫീസിൽ ഒടുക്കേണ്ടതാണ്. ഡ്യൂപ്ലിക്കേറ്റ് ദർഘാസ് ഫോറത്തിന്റെ വില ` 250 + 4% മുല്യാധിഷ്ഠിത നികുതിയും ഒടുക്കേണ്ടതാണ്. ടെണ്ടർ ഫോറത്തിന്റെ വില യാതൊരു കാരണവശാലും മടക്കി കൊടുക്കുന്നതല്ല. ടെണ്ടർ ഫോറത്തിന്റെ വിലപന 5-12-2012, 3 മണിക്ക് അവസാനിക്കുന്നതാണ്. നിശ്ചിത ഫോറത്തിലുള്ള ദർഘാസുകൾ 6-12-2012, 5 മണിക്ക് മുൻപായി ഈ ഓഫീസിൽ ലഭിക്കേണ്ടതാണ്. പ്രസ്തുത തീയതിക്കുശേഷം ലഭിക്കുന്ന ദർഘാസുകൾ യാതൊരു കാരണവശാലും പരിഗണിക്കുന്നതല്ല. 7-12-2012, 11 മണിക്ക് ദർഘാസുകാരുടെയോ അവരുടെ അംഗീകൃത പ്രതിനിധികളുടെയോ സാന്നിധ്യത്തിൽവച്ച് ദർഘാസുകൾ തുറക്കുന്നതായിരിക്കും. ദർഘാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യാൻ പാടില്ല.

ഈ ദർഘാസിനെ സംബന്ധിച്ച വിശദ വിവരങ്ങൾ, വ്യവസ്ഥകൾ, ദർഘാസ് ഫോറങ്ങൾ മുതലായവ കമാൻഡന്റ് ജനറൽ, ഫോം ഗാർഡ്സ് സിവിൽ ഡിഫൻസ് ഫയർ ആന്റ് റെസ്ക്യൂ സർവീസസ്, കേരള, ഹൗസിംഗ് ബോർഡ് ജംഗ്ഷൻ, പുളിമുക്ക് പി. ഒ., തിരുവനന്തപുരം-695 001 എന്ന ഓഫീസറുടെ ഓഫീസിൽ നിന്നും എല്ലാ പ്രവൃത്തി ദിവസങ്ങളിലും വൈകുന്നേരം 5 മണിവരെ ലഭിക്കുന്നതാണ്. ദർഘാസിന്റെ വില യാതൊരു കാരണവശാലും പോസ്റ്റൽ ഓർഡർ, പോസ്റ്റ് സ്റ്റാമ്പ്, ചെക്ക്, ബാങ്ക് ഡ്രാഫ്റ്റ് എന്നിവയായി സ്വീകരിക്കുന്നതല്ല.

Technical Specifications of Serch Light Under Water/Under Water Torch

The under water light has the following features.

It shall be equipped with HID metal halide bulb for more brightness and energy saving.

It is having good penetrability.

Working environment temperature min. by 80 degree to + 45 degree.

Water proof degree under water by 40 meters.

Illumination time minimum by 90 minutes.

Brightness 2100 Lumens.

Material of construction—Aluminium.

Weight maximum by 1.7 kgs.

Power output 35W.

It will be supplied with AC charger & car charger.

The product will be certified as per EC council directive 2004/108/EC for Electromagnetic compatability and EC council directive 2006/95/EC/2006/95/EC Low voltage directive. The testing standard will be corresponding EN norms.

CONDITIONS

- Whether samples are essential — Pamphlets, Photograph etc. should be forwarded along with tender.
- Period with in which goods should be delivered — With 2 weeks from receipt of supply order.
- Rates should be quoted for the delivery including transporting charge of the items to Kerala Fire & Rescue Services Hqrs. — FOR. Trivandrum.
- Payment — 90% Payment against delivery at Thiruvananthapuram in good condition
- Other special condition — A guarantee of 12 months from the delivery of item.

(4)

No. F1-11641/2012.

3rd November 2012.

Sealed tenders are invited for the purchase of 80 Nos. of Life Buoy to the Fire and Rescue Services Department. Details of items can be had along with the tender forms. The tenders are to reach the undersigned before 5 p. m. on 6-12-2012.

The tenders should be subscribed as Tender No. 28/2012 and addressed to the Commandant General, Home Guards Civil Defence and Fire and Rescue Services Headquarters, Housing Board Junction, Thiruvananthapuram-1. Late tenders will not be accepted. The tenders will be opened at 11 a. m. on 7-12-2012 in the presence of such tenderers or their authorized representatives who may be present at that time.

Intending tenderers may on application to the Commandant General obtain requisite tender form on which tenders should be submitted. Application for tender forms should be accompanied by the cash/ remittance/money order of ` 300 + 4% VAT (Round to next Rupee) per copy which is the price fixed by Government and is not refundable under any circumstance. The tender forms are not transferable. The sale of tender forms will be closed at 3 p. m. on 5-12-2012. Neither Cheques, Bank Drafts, Postal Order, Postage Stamps etc. will be accepted towards the cost of tender forms, nor will the tender form be send per value payable post. Duplicate tender forms if required will be supplied @ ` 150 + 4% VAT per copy. The tenderers are to read the general conditions given in the tender forms carefully before the forms are filled up.

Kerala Stamp Paper will be supplied to firms out side State if required by a separate cash remittance of ` 120 Money Order.

കേരള ഫയർ ആന്റ് റെസ്ക്യൂ സർവീസസ് വകുപ്പിലേക്ക് ലൈഫ് ബോയ് (80 എണ്ണം) വിതരണം ചെയ്യുന്നതിലേക്കായി താൽപര്യമുള്ളവരിൽ നിന്നും മുദ്രവച്ച ദർഘാസുകൾ 28/2012-ാം നമ്പരായി ക്ഷണിച്ചുകൊള്ളുന്നു. ടി ദർഘാസിന്റെ വിശദ വിവരങ്ങൾ ദർഘാസിനോടൊപ്പം ലഭിക്കുന്നതാണ്.

അസ്സൽ ദർഘാസ് ഫോറത്തിന്റെ വില ` 300 + 4% മുല്യാധിഷ്ഠിത നികുതിയും ഈ ഓഫീസിൽ ഒടുക്കേണ്ടതാണ്. ഡ്യൂപ്ലിക്കേറ്റ് ദർഘാസ് ഫോറത്തിന്റെ വില ` 150 + 4% മുല്യാധിഷ്ഠിത നികുതിയും ഒടുക്കേണ്ടതാണ്. ടെണ്ടർ ഫോറത്തിന്റെ വില യാതൊരു കാരണവശാലും മടക്കിക്കൊടുക്കുന്നതല്ല. ടെണ്ടർ ഫോറത്തിന്റെ വിലപന 5-12-2012, 3 മണിക്ക് അവസാനിക്കുന്നതാണ്. നിശ്ചിത ഫോറത്തിലുള്ള ദർഘാസുകൾ 6-12-2012, 5 മണിക്ക് മുൻപായി ഈ ഓഫീസിൽ ലഭിക്കേണ്ടതാണ്. പ്രസ്തുത തീയതിക്കുശേഷം ലഭിക്കുന്ന ദർഘാസുകൾ യാതൊരു കാരണവശാലും പരിഗണിക്കുന്നതല്ല. 7-12-2012, 11 മണിക്ക് ദർഘാസുകാരുടെയോ അവരുടെ അംഗീകൃത പ്രതിനിധികളുടെയോ സാന്നിധ്യത്തിൽവച്ച് ദർഘാസുകൾ തുറക്കുന്നതായിരിക്കും. ദർഘാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യാൻ പാടില്ല.

ഈ ദർഘാസിനെ സംബന്ധിച്ച വിശദ വിവരങ്ങൾ, വ്യവസ്ഥകൾ, ദർഘാസ് ഫോറങ്ങൾ മുതലായവ കമാണ്ടന്റ് ജനറൽ, ഹോം ഗാർഡ്സ് സിവിൽ ഡിഫൻസ് ഫയർ ആന്റ് റെസ്ക്യൂ സർവീസസ്, കേരള, ഹൗസിംഗ് ബോർഡ് ജംഗ്ഷൻ, പുളിമുക്ക് പി. ഒ., തിരുവനന്തപുരം-695 001 എന്ന ഓഫീസറുടെ ഓഫീസിൽ നിന്നും എല്ലാ പ്രവൃത്തി ദിവസങ്ങളിലും വൈകുന്നേരം 5 മണിവരെ ലഭിക്കുന്നതാണ്. ദർഘാസിന്റെ വില യാതൊരു കാരണവശാലും പോസ്റ്റൽ ഓർഡർ, പോസ്റ്റ് സ്റ്റാമ്പ്, ചെക്ക്, ബാങ്ക് ഡ്രാഫ്റ്റ് എന്നിവയായി സ്വീകരിക്കുന്നതല്ല.

SPECIFICATIONS

Life Buoy manufactured from durable synthetic material in bright orange colour and requires no maintenance.

Totally moisture proof and non inflammable

High glow reflective material identifies Victims in distress.

ID—43cms, OD—72cms.

Width—11cms.

Flotability—17.5 kgs.

Weight—Not less than 4 kgs.

Approved & Stamped by Indian Register of Shipping (IRS).

CONDITIONS

- Whether samples are essential — Pamphlets, Photograph etc. should be forwarded along with tender.
- Period with in which goods should be delivered — With in 2 weeks from the receipt of supply order.

- Rates should be quoted for the delivery including transporting charge of the items to Kerala Fire & Rescue Services Hqrs. —For Trivandrum.

- Payment — 90% Payment against delivery at Thiruvananthapuram in good condition

- Other special condition — A guarantee of 12 months from the delivery of item.

(5)

No. FI-11642/2012.

3rd November 2012.

Sealed tenders are invited for the purchase of 80 Nos. of Life Jacket to the Fire and Rescue Services Department. Details of items can be had along with the tender forms. The tenders are to reach the undersigned before 5 p. m. on 6-12-2012.

Estimate cost— ` 1,04,000.

EMD— 1%.

The tenders should be superscribed as Tender No. 29/2012 and addressed to the Commandant General, Home Guards, Civil Defence and Fire and Rescue Services Headquarters, Housing Board Junction, Thiruvananthapuram-1. Late tenders will not be accepted. The tenders will be opened at 11 a. m. on 7-12-2012 in the presence of such tenderers or their authorized representatives who may be present at that time.

Intending tenderers may on application to the Commandant General obtain requisite tender form on which tenders should be submitted. Application for tender forms should be accompanied by the cash/ remittance/ Money Order of ` 300 + 4% VAT (Round to next Rupee) per copy which is the price fixed by Government and is not refundable under any circumstance. The tender forms are not transferable. The sale of tender forms will be closed at 3 p. m. on 5-12-2012. Neither Cheques, Bank Drafts, Postal Order, Postage Stamps etc. will be accepted towards the cost of tender forms, nor will the tender form be send per value payable post. Duplicate tender forms if required will be supplied @ ` 150 + 4% VAT per copy. The tenderers are to read the general conditions given in the tender forms carefully before the forms are filled up. Date upto which rates are to be firm on 31-3-2013.

Kerala Stamp Paper will be supplied to firms out side State if required by a separate cash remittance of ` 120 Money Order.

കേരള ഫയർ ആന്റ് റെസ്ക്യൂ സർവീസസ് വകുപ്പിലേക്ക് ലൈഫ് ജാക്കറ്റ് (80 എണ്ണം) വിതരണം ചെയ്യുന്നതിലേക്കായി താൽപര്യമുള്ളവരിൽ നിന്നും മുദ്രവച്ച ദർഘാസുകൾ 29/2012-ാം നമ്പരായി ക്ഷണിച്ചുകൊള്ളുന്നു.

അടങ്കൽ തുക— ` 1,04,000.

നിരതദ്രവ്യം—1%.

അസ്സൽ ദർഘാസ് ഫോറത്തിന്റെ വില ` 300 + 4% മുല്യാധിഷ്ഠിത നികുതിയും ഈ ഓഫീസിൽ ഒടുക്കേണ്ടതാണ്. ഡ്യൂപ്ലിക്കേറ്റ് ദർഘാസ് ഫോറത്തിന്റെ വില 150 + 4% മുല്യാധിഷ്ഠിത നികുതിയും ഒടുക്കേണ്ടതാണ്. ടെണ്ടർ ഫോറത്തിന്റെ വില യാതൊരു കാരണവശാലും മടക്കി കൊടുക്കുന്നതല്ല. ടെണ്ടർ ഫോറത്തിന്റെ വിലപന 5-12-2012, 3 മണിക്ക് അവസാനിക്കുന്നതാണ്. നിശ്ചിത ഫോറത്തിലുള്ള ദർഘാസുകൾ 6-12-2012, 5 മണിക്ക് മുൻപായി ഈ ഓഫീസിൽ ലഭിക്കേണ്ടതാണ്. പ്രസ്തുത തീയതിക്കുശേഷം ലഭിക്കുന്ന ദർഘാസുകൾ യാതൊരു കാരണവശാലും പരിഗണിക്കുന്നതല്ല. 7-12-2012, 11 മണിക്ക് ദർഘാസുകാരുടെയോ അവരുടെ അംഗീകൃത പ്രതിനിധികളുടെയോ സാന്നിധ്യത്തിൽവെച്ച് ദർഘാസുകൾ തുറക്കുന്നതായിരിക്കും. ദർഘാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യാൻ പാടില്ല.

ഈ ദർഘാസിനെ സംബന്ധിച്ച വിശദവിവരങ്ങൾ, വ്യവസ്ഥകൾ, ദർഘാസ് ഫോറങ്ങൾ മുതലായവ കമാൻഡന്റ് ജനറൽ, ഫോം ഗാർഡ്സ് സിവിൽ ഡിഫൻസ് ഫയർ ആന്റ് റെസ്ക്യൂ സർവീസസ്, കേരള ഹൗസിംഗ് ബോർഡ് ജംഗ്ഷൻ, പുളിമുട് പി. ഒ., തിരുവനന്തപുരം-695 001 എന്ന ഓഫീസറുടെ ഓഫീസിൽ നിന്നും എല്ലാ പ്രവൃത്തി ദിവസങ്ങളിലും വൈകുന്നേരം 5 മണിവരെ ലഭിക്കുന്നതാണ്. ദർഘാസിന്റെ വില യാതൊരു കാരണവശാലും പോസ്റ്റൽ ഓർഡർ, പോസ്റ്റ് സ്റ്റാമ്പ്, ചെക്ക്, ബാങ്ക് ഡ്രാഫ്റ്റ് എന്നിവയായി സ്വീകരിക്കുന്നതല്ല.

LIFE JACKET

- * Life Jacket will be supplied with water activated light weight light.
- * Life Jacket manufactured from soft polyethylene foam with high visibility orange colour fabric, reflective Stickers chemically resistant to sea, water and Petroleum products.
- * Quick turning time and high free board in water owing to special construction (even if a person falls into water in unconscious state with face downwards the body will automatically turn upwards due to the buoyancy of the jacket).
- * Soft polyethylene foam.
- * Orange colored nylon cover enhances visibility.
- * The light of the Life Jacket should be of integrated with Lithium battery.

Specifications of Life Jacket

Floatability (Buoyancy)—15.5 Kgs.
 Size—90 x 37 x 10cms.
 Number of floating pads—4 Nos. at front side & 2 Nos. at back side with additional neck support.
 Colour—Orange colour nylon cover for more visibility.

Specification of Life Jacket Light

- Main body
- * Main body dimensions—39.5 x 38 x 27 MM.
 - * Light dime dimensions—24 x 11 MM.
 - * Material—Polycarbonate
 - * Weight should not exceed 60gms.
 - * Battery—Lithium 3.6 V

- * Light Intensity—Min. by 0.75cd.
- * Light Source—Super Bright LED.
- * Duration—8 hrs. continuous.
- * Shelf life—5 years.
- * Integrated with battery.
- * Integrated and easy clamping system.

Features:

- * Provides a luminous intensity max. 3cd for a period of min. 8 hrs.
- * Compact small size 40mm dia. Back plate for fixing to Life Jacket.
- * Withstands shocks, vibrations and temperature extremes from 30°C to 65°C.
- * No heat generation.

Approval—Both life jacket and light should be MMD/IRS approved.

CONDITIONS

- | | |
|--|--|
| 1. Whether samples are essential | .. Pamphlets, Photograph etc. should be forwarded along with tender. |
| 2. Period with in which goods should be delivered | .. With in 2 weeks from the receipt of supply order. |
| 3. Rates should be quoted for the delivery including transporting charge of the items to Kerala Fire & Rescue Services Hqrs. | .. f.o.r. Trivandrum. |
| 4. Payment | .. 90% payment against delivery at Thiruvananthapuram in good condition. |
| 5. Other special conditions.. | A guarantee of 12 months from the delivery of item. |

(6)

No. F1-11643/2012. 3rd November 2012.

Sealed tenders are invited for the purchase of 32 Nos. of Tarpaulin Sheet to Fire and Rescue Services Department. Details of items can be had along with the tender forms. The tenders are to reach the undersigned before 5 p. m. on 6-12-2012. Estimate cost ` 1,60,000, EMD—1%.

The tenders should be superscribed as Tender No. 30/2012 and addressed to the Commandant General, Home Guards Civil Defence and Fire and Rescue Services Headquarters, Housing Board Junction,

Thiruvananthapuram-1. Late tenders will not be accepted. The tenders will be opened at 11 a.m. on 7-12-2012 in the presence of such tenderers or their authorized representatives who may be present at that time.

Intending tenderers may on application to the Commandant General obtain requisite tender form on which tenders should be submitted. Application for tender forms should be accompanied by the cash remittance/money order of ` 300 + 4% VAT (Round to next Rupee) per copy which is the price fixed by Government and is not refundable under any circumstance. The tender forms are not transferable. The sale of tender forms will be closed at 3 p. m. on 5-12-2012. Neither Cheques, Bank Drafts, Postal Order, Postage Stamps etc. will be accepted towards the cost of tender forms, nor will the tender form be send per value payable post. Duplicate tender forms if required will be supplied @ ` 150 + 4% VAT per copy. The tenderers are to read the general conditions given in the tender forms carefully before the forms are filled up.

Kerala Stamp Paper will be supplied to firms out side state if required by a separate cash remittance of ` 120 by Money Order.

കേരള ഫയർ ആന്റ് റെസ്ക്യൂ സർവീസസ് വകുപ്പിലേക്ക് ടാർപ്പാളിൻ ഷീറ്റ് 32 എണ്ണം വിതരണം ചെയ്യുന്നതിലേക്കായി താൽപര്യമുള്ളവരിൽ നിന്നും മുദ്രവച്ച ദർഘാസുകൾ 30/2012-ാം നമ്പരായി ക്ഷണിച്ചുകൊള്ളുന്നു. ടി ദർഘാസിന്റെ വിശദ വിവരങ്ങൾ ദർഘാസിനോടൊപ്പം ലഭിക്കുന്നതാണ്.

അസ്സൽ ദർഘാസ് ഫോറത്തിന്റെ വില ` 300 + 4% മുല്യാധിഷ്ഠിത നികുതിയും ഈ ഓഫീസിൽ ഒടുക്കേണ്ടതാണ്. ഡ്യൂപ്ലിക്കേറ്റ് ദർഘാസ് ഫോറത്തിന്റെ വില ` 150 + 4% മുല്യാധിഷ്ഠിത നികുതിയും ഒടുക്കേണ്ടതാണ്. ടെണ്ടർ ഫോറത്തിന്റെ വില യാതൊരു കാരണവശാലും മടക്കി കൊടുക്കുന്നതല്ല. ടെണ്ടർ ഫോറത്തിന്റെ വിലപന 5-12-2012, 3 മണിക്ക് അവസാനിക്കുന്നതാണ്. നിശ്ചിത ഫോറത്തിലുള്ള ദർഘാസുകൾ 6-12-2012, 5 മണിക്ക് മുൻപായി ഈ ഓഫീസിൽ ലഭിക്കേണ്ടതാണ്. പ്രസ്തുത തീയതിക്കുശേഷം ലഭിക്കുന്ന ദർഘാസുകൾ യാതൊരു കാരണവശാലും പരിഗണിക്കുന്നതല്ല. 7-12-2012, 11 മണിക്ക് ദർഘാസുകാരുടെയോ അവരുടെ അംഗീകൃത പ്രതിനിധികളുടെയോ സാന്നിധ്യത്തിൽവച്ച് ദർഘാസുകൾ തുറക്കുന്നതായിരിക്കും. ദർഘാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യാൻ പാടില്ല.

ഈ ദർഘാസിനെ സംബന്ധിച്ച വിശദ വിവരങ്ങൾ, വ്യവസ്ഥകൾ, ദർഘാസ് ഫോറങ്ങൾ മുതലായവ കമാൻഡന്റ് ജനറൽ, ഹോം ഗാർഡ്സ് സിവിൽ ഡിഫൻസ് ഫയർ ആന്റ് റെസ്ക്യൂ സർവീസസ്, കേരള ഹൗസിംഗ് ബോർഡ് ജംഗ്ഷൻ, പുളിമുക്ക് പി. ഒ., തിരുവനന്തപുരം-695 001 എന്ന ഓഫീസറുടെ ഓഫീസിൽ നിന്നും എല്ലാ പ്രവൃത്തി ദിവസങ്ങളിലും വൈകുന്നേരം 5 മണിവരെ ലഭിക്കുന്നതാണ്. ദർഘാസിന്റെ വില യാതൊരു കാരണവശാലും പോസ്റ്റൽ ഓർഡർ, പോസ്റ്റ് സ്റ്റാമ്പ്, ചെക്ക്, ബാങ്ക് ഡ്രാഫ്റ്റ് എന്നിവയായി സ്വീകരിക്കുന്നതല്ല.

Specifications

It should be manufactured from best quality sheets and has inherent strength to resist rain water and wind.

It should be 100 % water proof

The edge are welded using ultrasonic welding technology.

It should be made of 550gsm. sheet.

The preferable size is 18 feet x 12 feet.

It meets ISI standard.

CONDITIONS

1. Whether samples are essential .. Pamphlets Photograph etc. should be forwarded along with tender
2. Period within which goods should be delivered .. With in 2 weeks from receipt of supply order.
3. Rates should be quoted for the delivery including transporting charge of the items to Kerala Fire & Rescue Services Headquarters. .. f.o.r. Thiruvananthapuram.
4. Payment .. 90% Payment against delivery at Thiruvananthapuram in good condition
5. Other special conditions.. A guarantee of 12 months from the delivery of item.

(7)

No. F1-11644/2012.

6th November 2012.

Sealed tenders are invited for the purchase of 32 Nos. of Silpaulin sheet to Fire and Rescue Services Department. Details of items can be had along with the tender forms. The tenders are to reach the undersigned before 5 p. m. on 6-12-2012.

Estimate Cost—` 96,000.

EMD—1%.

The tenders should be superscribed as Tender No. 31/2012 and addressed to the Commandant General, Home Guards Civil Defence and Fire and Rescue Services Headquarters, Housing Board Junction, Thiruvananthapuram-1. Late tenders will not be accepted. The tenders will be opened at 11 a.m. on 7-12-2012 in the presence of such tenderers or their authorized representatives who may be present at the time.

Intending tenders may on application to the Commandant General obtain requisite tender form on which tenders should be submitted. Application for tender forms should be accompanied by the cash remittance/money order of ` 300 + 4% VAT (Round to next Rupee) per copy which is the price fixed by Government and is not refundable under any circumstance. The tender forms are not transferable. The sale of tender forms will be closed at 3 p. m. on 5-12-2012. Neither Cheques, Bank Drafts, Postal Order, Postage Stamps etc. will be accepted towards the cost of tender forms, nor will the tender form be send per value payable post. Duplicate tender forms if required will be supplied @ ` 150 + 4% VAT per copy. The tenders are to ready the general conditions given in the tender forms carefully before the forms are filled up. Date upto which rates are to be firm on 31-3-2013.

Kerala Stamp Paper will be supplied to firms out side state if required by a separate cash remittance of ` 120 Money Order.

കേരള ഫയർ ആന്റ് റെസ്ക്യൂ സർവീസസ് വകുപ്പിലേക്ക് 32 എണ്ണം സിൽപാളിൻ ഷീറ്റ് വിതരണം ചെയ്യുന്നതിലേക്കായി താൽപര്യമുള്ളവരിൽ നിന്നും മുദ്രവച്ച ദർഘാസുകൾ 31/2012 നമ്പരായി ക്ഷണിച്ചുകൊള്ളുന്നു. ദർഘാസിന്റെ വിശദ വിവരങ്ങൾ ദർഘാസിനെക്കുറിച്ചും ലഭിക്കുന്നതാണ്.

അടങ്കൽ തുക—` 96,000.

നിരതദ്രവ്യം—1%.

അസ്സൽ ദർഘാസ് ഫോറത്തിന്റെ വില ` 300 + 4% മുല്യാധിഷ്ഠിത നികുതിയും ഈ ഓഫീസിൽ ഒടുക്കേണ്ടതാണ്. ഡ്യൂപ്ലിക്കേറ്റ് ദർഘാസ് ഫോറത്തിന്റെ വില ` 150 + 4% മുല്യാധിഷ്ഠിത നികുതിയും ഒടുക്കേണ്ടതാണ്. ടെണ്ടർ ഫോറത്തിന്റെ വില യാതൊരു കാരണവശാലും മടക്കി കൊടുക്കുന്നതല്ല. ടെണ്ടർ ഫോറത്തിന്റെ വിലപന 5-12-2012, 3 മണിക്ക് അവസാനിക്കുന്നതാണ്. നിശ്ചിത ഫോറത്തിലുള്ള ദർഘാസുകൾ 6-12-2012, 5 മണിക്ക് മുൻപായി ഈ ഓഫീസിൽ ലഭിക്കേണ്ടതാണ്. പ്രസ്തുത തീയതിക്കുശേഷം ലഭിക്കുന്ന ദർഘാസുകൾ യാതൊരു കാരണവശാലും പരിഗണിക്കുന്നതല്ല. 7-12-2012, 11 മണിക്ക് ദർഘാസുകാരുടെയോ അവരുടെ അംഗീകൃത പ്രതിനിധികളുടെയോ സാന്നിധ്യത്തിൽവച്ച് ദർഘാസുകൾ തുറക്കുന്നതായിരിക്കും. ദർഘാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യാൻ പാടില്ല.

ഈ ദർഘാസിനെ സംബന്ധിച്ച വിശദ വിവരങ്ങൾ, വ്യവസ്ഥകൾ, ദർഘാസ് ഫോറങ്ങൾ മുതലായവ കമാൻഡന്റ് ജനറൽ, ഹോം ഗാർഡ്സ് സിവിൽ ഡിഫൻസ് ഫയർ ആന്റ് റെസ്ക്യൂ സർവീസസ്, കേരള, ഹൗസിംഗ് ബോർഡ് ജംഗ്ഷൻ, പുളിമുക്ക് പി. ഒ., തിരുവനന്തപുരം-695 001 എന്ന ഓഫീസറുടെ ഓഫീസിൽ നിന്നും എല്ലാ പ്രവൃത്തി ദിവസങ്ങളിലും വൈകുന്നേരം 5 മണിവരെ ലഭിക്കുന്നതാണ്. ദർഘാസിന്റെ വില യാതൊരു കാരണവശാലും പോസ്റ്റൽ ഓർഡർ, പോസ്റ്റ് സ്റ്റാമ്പ്, ചെക്ക്, ബാങ്ക് ഡ്രാഫ്റ്റ് എന്നിവയായി സ്വീകരിക്കുന്നതല്ല.

Technical Specification for Silpaulin

It should be manufactured from best quality sheets and has inherent strength to resist rain water and wind.

It should be 100 % water proof

The edges are welded using ultrasonic welding technology.

It should be made of 250 gsm. sheet.

The preferable size is 22 feet x 15 feet.

It meets ISI standard.

CONDITIONS

1. Whether samples are essential .. Pamphlets Photograph etc. should be forwarded along with tender.
2. Period within which goods should be delivered .. Within 2 weeks from the receipt of supply order.
3. Rates should be quoted for the delivery including transporting charge of the items to Kerala Fire & Rescue Services Hqrs. .. f.o.r. Trivandrum.
4. Payment .. 90% Payment against delivery at Thiruvananthapuram in good condition
5. Other special condition .. A guarantee of 12 months from the delivery of item.

(8)

No. F1-11645/2012.

3rd November 2012.

Sealed tenders are invited for the purchase of 16 Nos. of Scuba with two spare Cylinder to Fire and Rescue Services Department. Details of items can be had along with the tender forms. The tenders are to reach the undersigned before 5 p. m. on 6-12-2012.

Estimate cost—` 64 lakh.

EMD—1%.

The tenders should be superscribed as Tender No. 32/2012 and addressed to the Commandant General, Home Guards Civil Defence and Fire and Rescue Services Headquarters, Housing Board Junction, Thiruvananthapuram-1. Late tenders will not be accepted. The tenders will be opened at 11 a.m. on 7-12-2012 in the presence of such tenderers or their authorized representatives who may be present at the time.

Intending tenderers may on application to the Commandant General obtain requisite tender form on which tenders should be submitted. Application for tender forms should be accompanied by the cash remittance/ money order of ` 9,600 + 4% VAT (Round to next Rupee) per copy which is the price fixed by Government and is not refundable under any circumstance. The tender forms are not transferable. The sale of tender forms will be closed at 3 p. m. on 5-12-2012. Neither Cheques, Bank Drafts, Postal Order, Postage Stamps etc. will be accepted towards the cost of tender forms, nor will the tender form be send per Value Payable Post. Duplicate tender forms if required will be supplied @ ` 4,800 + 4% VAT per copy. The tenderers are to read the general conditions given in the tender forms carefully before the forms are filled up.

Kerala Stamp Paper will be supplied to firms out side state if required by a separate cash remittance of ` 120 Money Order.

കേരള ഫയർ ആന്റ് റെസ്ക്യൂ സർവീസസ് വകുപ്പിലേക്ക് സ്കൂബ വിത്ത് ടു സ്പെയർ സിലിണ്ടർ 16 എണ്ണം വിതരണം ചെയ്യുന്നതിലേക്കായി താൽപര്യമുള്ളവരിൽ നിന്നും മുദ്രവച്ച ദർഘാസുകൾ 32/2012 നമ്പരായി ക്ഷണിച്ചുകൊള്ളുന്നു.

അടങ്കൽ തുക—` 64 ലക്ഷം.

നിരതദ്രവ്യം—1%.

അസ്സൽ ദർഘാസ് ഫോറത്തിന്റെ വില ` 9,600 + 4% മുല്യാധിഷ്ഠിത നികുതിയും ഈ ഓഫീസിൽ ഒടുക്കേണ്ടതാണ്. ഡ്യൂപ്ലിക്കേറ്റ് ദർഘാസ് ഫോറത്തിന്റെ വില ` 4,800 + 4% മുല്യാധിഷ്ഠിത നികുതിയും ഒടുക്കേണ്ടതാണ്. ടെണ്ടർ ഫോറത്തിന്റെ വില യാതൊരു കാരണവശാലും മടക്കി കൊടുക്കുന്നതല്ല. ടെണ്ടർ ഫോറത്തിന്റെ വിലപന 5-12-2012, 3 മണിക്ക് അവസാനിക്കുന്നതാണ്. നിശ്ചിത ഫോറത്തിലുള്ള ദർഘാസുകൾ 6-12-2012, 5 മണിക്ക് മുൻപായി ഈ ഓഫീസിൽ ലഭിക്കേണ്ടതാണ്. പ്രസ്തുത തീയതിക്കുശേഷം ലഭിക്കുന്ന ദർഘാസുകൾ യാതൊരു കാരണവശാലും പരിഗണിക്കുന്നതല്ല. 7-12-2012, 11 മണിക്ക് ദർഘാസുകാരുടെയോ അവരുടെ അംഗീകൃത പ്രതിനിധികളുടെയോ സാന്നിധ്യത്തിൽവച്ച് ദർഘാസുകൾ തുറക്കുന്നതായിരിക്കും. ദർഘാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യാൻ പാടില്ല.

ഈ ദർഘാസിനെ സംബന്ധിച്ച വിശദ വിവരങ്ങൾ, വ്യവസ്ഥകൾ, ദർഘാസ് ഫോറങ്ങൾ മുതലായവ കമാണ്ടന്റ് ജനറൽ, ഫോം ഗാർഡ്സ് സിവിൽ ഡിഫൻസ് ഫയർ ആന്റ് റെസ്ക്യൂ സർവീസസ്, കേരള, ഹൗസിംഗ് ബോർഡ് ജംഗ്ഷൻ, പുളിമുട് പി. ഒ., തിരുവനന്തപുരം-695 001 എന്ന ഓഫീസറുടെ ഓഫീസിൽ നിന്നും എല്ലാ പ്രവൃത്തി ദിവസങ്ങളിലും വൈകുന്നേരം 5 മണിവരെ ലഭിക്കുന്നതാണ്. ദർഘാസിന്റെ വില യാതൊരു കാരണവശാലും പോസ്റ്റൽ ഓർഡർ, പോസ്റ്റ് സ്റ്റാമ്പ്, ചെക്ക്, ബാങ്ക് ഡ്രാഫ്റ്റ് എന്നിവയായി സ്വീകരിക്കുന്നതല്ല.

Technical Specification of Self Contained Under Water Breathing Apparatus with Two Spare Cylinder

1. *Rule*—The self contained under water breathing apparatus (SCUBA) for carrying out under water diving should be suitable for carrying out under water diving up to a depth of 50 meters and should be approved in accordance with EN 250/Vfdb 0803.
2. *General*—The apparatus should be rugged light weight suitable for carrying by a single person. The set-should have its standard and optional equipments and should comprise of following:—
 - a. Carrying System with Buoyancy Compensation system.
 - b. Breathing Regulators.
 - c. Residential Pressure warning.
 - d. Pressure indicating gauge.
 - e. Full Face mask.
 - f. Compressed air cylinder.
 - g. Tool Kit.

3. Specifications

- (A) Carrying system with comfort harness comprising easily adjustable shoulder straps, hip belt with quick lock, pull-forward hip strap adjustment and crotch belt to accommodate various compressed air cylinders (single cylinders up to a volume of 15 L and twin cylinders up to a volume of 2 x 10 L) for breathing gas supply. It must be possible to exchange the cylinders individually, quickly and without using any tools. The Pro-Harness is available in sizes M and L. The harness weight should be 2.9 Kg approx.
- (B) The carrying harness in combination with the buoyancy bladder forms a buoyancy system as per EN 1809. The buoyancy bladder is cut as a wing that means that the buoyancy body is arranged around the compressed gas cylinders and is positioned on the diver's back. The buoyancy bladder has got two shells. The outer shell is made of long-wearing 1000 Dernier Cordura, the inner shell is made of polyurethane-coated nylon fabric. The power inflator is used to inflate the buoyancy bladder via the lungs the mouthpiece or from the compressed gas cylinder, and to release the bubble contents. Optionally the buoyancy bladder can be equipped with a connector and 0.4L/200 bar compressed air stan by cylinder or a CO2 detonator. The gas is released through the inflator mouthpiece passing the valve in the connector of the corrugated hose unit to the buoyancy bladder by pulling the inflator mouthpiece, or in the event the diver

is in a position with the head down by the manually operated relief valve positioned at the right hip. The weight of the buoyancy bladder should be 1.6 kg approx.

- (C) The breathing regulator consists of a pressure reducer (1. Stage) and the lung demand valve (2. Stage). Three pressure reducer is connected with the lung demand valve via the medium pressure hose. The lung demand valve Shark FFM has got a which is self-locking. The pressure reducer is required with hand wheel connection as per EN 144.

The pressure reducer is admission pressure-balanced, so that the medium pressure is constant independent of the admission pressure (cylinder pressure). It is additionally equipped with an amplifier that increases the medium pressure depending on the depth. It has got two high-pressure connections for connection of the safety valve, e.g. manometer and 4 medium pressure connections for connection of the safety valve, lung demand valve, stand-by lung demand valve (Octopus), inflator, etc. There should be provision of stand by lung demand valve Octopus equipped with a longer medium pressure hose.

- (D) During operation a manometer indicating the cylinder pressure should be attached and equipped with a 7/16 UNF Connector (sealed with O-ring) designated for use with an operating pressure of 300 bar/4. 500 psi.

- (E) Moreover, an active residual pressure warning device is mounted. The mechanical residual pressure warning device is an active warning device in accordance with EN 250, which actively warns the diver when a certain residual pressure in the breathing gas cylinder is reached. The diver is warned audibly visibly and by vibrations the moving piston in the full face mask produces.

- (F) Full face mask with five-point head harness made of silicone. EPDM mask body with double sealing frame. Face piece plug-in connection for lung demand valve. Can have connection for second breathing regulator (Octopus) with plug-in connector. Have safety visor with anti-misting function. Have integrated relief valve. Possibility for active pressure compensation. Possibility for connection of an underwater telephone. Quick doffing in case of emergency. In addition to the exhalation valve, one valve to blow off the mask. Mask to have provision for connection of mechanical residual pressure alarm into the side of the visor. The weight of the mask should be approx. 940 grams.

- (G) The system should be supplied with compressed air cylinder with minimum 1800 lit. of air. The cylinder configurations can either 6 lit x 300 or 10 lit x 200 bar or 11.1 lit x 200 bar.

- (H) The operating temperature of the system should be -20°C to 50°C. The storage temperature should be -30°C to 70°C.

(I) Documentation

For official acceptance the following documents must be provided:

- * Instructions for use.
- * Approval certificate as per DIN-EN

EU Declaration of Conformity incl. EU type approval certificate of a certified Proof of ISO 9001 certification.

CONDITIONS

- | | |
|--|--|
| 1. Whether samples are essential | — Pamphlets, Photograph etc. should be forwarded along with tender. |
| 2. Period with in which goods should be | — Within 2 weeks from the receipt of supply order. |
| 3. Rates should be quoted for the delivery including transporting charge of the items to Kerala Fire & Rescue Services Hqrs. | — For Thiruvananthapuram. |
| 4. Payment | — 90% Payment against delivery at Thiruvananthapuram in good condition |
| 5. Other special condition | — A guarantee of 12 months from the delivery of item. |

(9)

No. F1-11646/2012.

3rd November 2012.

Sealed tenders are invited for the purchase of 8 Nos. of Inflatable Tent to Fire and Rescue Services Department. Details of items can be had along with the tender forms. The tenders are to reach the undersigned before 5 p. m. on 6-12-2012.

Estimate cost—` 40 lakh.

EMD—1%.

The tenders should be superscribed as Tender No. 33/2012 and addressed to the Commandant General, Home Guards Civil Defence and Fire and Rescue Services Headquarters, Housing Board Junction, Thiruvananthapuram-1. Late tenders will not be accepted. The tenders will be opened at 11 a.m. on 7-12-2012 in the presence of such tenderers or their authorized representatives who may be present at that time.

Intending tenderers may on application to the Commandant General obtain requisite tender form on which tenders should be submitted. Application for tender forms should be accompanied by the cash remittance/money order of ` 6,000 + 4% VAT (Round to next Rupee) per copy which is the price fixed by Government and is not refundable under any circumstance. The tender forms are not transferable. The sale of tender forms will be closed at 3 p. m. on 5-12-2012. Neither Cheques, Bank Drafts, Postal Order, Postage Stamps etc. will be accepted towards the cost of tender forms, nor will the tender form be send per Value Payable Post. Duplicate tender forms if required will be supplied @ ` 3,000 + 4% VAT per copy. The tenderers are to be read the general conditions given in the tender forms carefully before the forms are filled up. Date upto which rates are to be firm on 31-3-2013.

Kerala Stamp Paper will be supplied to firms out side state if required by a separate cash remittance of ` 120 Money Order.

കേരള ഫയർ ആന്റ് റെസ്ക്യൂ സർവ്വീസസ് വകുപ്പിലേക്ക് ഇൻഫ്ളാറ്റബിൾ ടെന്റ് 8 എണ്ണം വിതരണം ചെയ്യുന്നതിലേക്കായി താൽപര്യമുള്ളവരിൽ നിന്നും മുദ്രവച്ച ദർഘാസുകൾ 33/2012 നമ്പരായി ക്ഷണിച്ചുകൊള്ളുന്നു.

അടങ്കൽ തുക—` 40 ലക്ഷം.

നിരതദ്രവ്യം—1%.

അസ്സൽ ദർഘാസ് ഫോറത്തിന്റെ വില ` 6,000 + 4% മുല്യാധിഷ്ഠിത നികുതിയും ഈ ഓഫീസിൽ ഒടുക്കേണ്ടതാണ്. ഡ്യൂപ്ലിക്കേറ്റ് ദർഘാസ് ഫോറത്തിന്റെ വില ` 3,000 + 4% മുല്യാധിഷ്ഠിത നികുതിയും ഒടുക്കേണ്ടതാണ്. ടെണ്ടർ ഫോറത്തിന്റെ വില യാതൊരു കാരണവശാലും മടക്കിക്കൊടുക്കുന്നതല്ല. ടെണ്ടർ ഫോറത്തിന്റെ വിലപന 5-12-2012, 3 മണിക്ക് അവസാനിക്കുന്നതാണ്. നിശ്ചിത ഫോറത്തിലുള്ള ദർഘാസുകൾ 6-12-2012, 5 മണിക്ക് മുൻപായി ഈ ഓഫീസിൽ ലഭിക്കേണ്ടതാണ്. പ്രസ്തുത തീയതിക്കുശേഷം ലഭിക്കുന്ന ദർഘാസുകൾ യാതൊരു കാരണവശാലും പരിഗണിക്കുന്നതല്ല. 7-12-2012, 11 മണിക്ക് ദർഘാസുകാരുടെയോ അവരുടെ അംഗീകൃത പ്രതിനിധികളുടെയോ സാന്നിധ്യത്തിൽവെച്ച് ദർഘാസുകൾ തുറക്കുന്നതായിരിക്കും. ദർഘാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യാൻ പാടില്ല.

ഈ ദർഘാസിനെ സംബന്ധിച്ച വിശദ വിവരങ്ങൾ, വ്യവസ്ഥകൾ, ദർഘാസ് ഫോറങ്ങൾ മുതലായവ കമാണ്ടന്റ് ജനറൽ, ഫോം ഗാർഡ്സ് സിവിൽ ഡിഫൻസ് ഫയർ ആന്റ് റെസ്ക്യൂ സർവ്വീസസ്, കേരള, ഹൗസിംഗ് ബോർഡ് ജംഗ്ഷൻ, പുളിമുട് പി. ഒ., തിരുവനന്തപുരം-695 001 എന്ന ഓഫീസറുടെ ഓഫീസിൽ നിന്നും എല്ലാ പ്രവൃത്തി ദിവസങ്ങളിലും വൈകുന്നേരം 5 മണിവരെ ലഭിക്കുന്നതാണ്. ദർഘാസിന്റെ വില യാതൊരു കാരണവശാലും പോസ്റ്റൽ ഓർഡർ, പോസ്റ്റ് സ്റ്റാമ്പ്, ചെക്ക്, ബാങ്ക് ഡ്രാഫ്റ്റ് എന്നിവയായി സ്വീകരിക്കുന്നതല്ല.

Technical Specification for Inflatable Tent (PRE Fabricated Frame Enclosure)

The frame material should be PVC coated PES, 850g/m 2, Fire retardancy B1.

According DIN 4102 with tolerance +/- 5%.

The cover material should be PU coated OES 240 g/m2. grey colour.

The temperature-20 to + 70 deg C accordingly DIN 53361.

The Floor material should be PVC coated PES, 650g/m2.

It should Cold and Heat resistance-30 to +70 deg C according DIN 53361.

The frame tube diameter should be 220 mm.

The inner height at 70 cm distance from the side at the bottom should not be less than 2100 mm.

The Pre-fabricated frame should be inter connectable with zippers.

Inflation time: max 2 minutes by 2 persons.

The frame should be entirely inflatable, no metal poles allowed between the arches.

The Minimum qualification criteria given below must be met to qualify to quote for this bid, which is to be submitted in the technical offer failing to qualify to any feature/requirement in the bidder's technical tender will result in their being summarily rejected.

The bidder must be an ISO 9001 certified, company Certificate confirming the same should be enclosed.

The bidder should have done a minimum business of 5 crores per year for the last 2 years. The above should be certified by the auditor along with a detailed report year wise.

The bidder must have a latest current dated authorization from their manufacturers/publishers addressed directly to us clearly authorizing him to bid on their behalf for the tender and the original letter duly signed and sealed must be submitted in the technical bid, failing which the tender will be liable for rejection.

The bidder should have supplied minimum 8 tents in a single order to any Indian Government Body and order copies of the same should be enclosed as proof failing, which the tender is liable for rejection.

CONDITIONS

- Whether samples are essential —Pamphlets, Photograph etc. should be forwarded along with tender.
- Period with in which goods should be delivered —Within 2 weeks from the receipt of supply order.

3. Rates should be —f.o.r. Trivandrum.
quoted for the delivery
including transporting
charge of the items to
Kerala Fire & Rescue
Services Hqrs.
4. Payment — 90% Payment against delivery
at Thiruvananthapuram
in good condition
5. Other special conditions—A guarantee of 12 months
from the delivery of item.

Office of the Commandant General,
Home Guards, Civil Defence,
Fire & Rescue Services,
Housing Board Junction,
Pulimoodu P. O.,
Thiruvananthapuram.

(Sd.)
Commandant General.
